Mesin Pengacuan Suntikan Plastik HDMI Automatik 250ST

Model No. 250ST




SPECIFICATIONS

Model Number	250ST
Jenis	Mesin Pengacuan Suntikan Plastik HDMI
Aplikasi	Pembuatan Abah-abah Kabel Industri
Ciri-ciri	Cekap, Tahan Lama, Tepat

Mesin
Pembuat Suntikan Plastik HDMI Mesin Pengacuan Suntikan Plastik, Mesin Suntikan HDMI, Mesin Pembuat HDMI

Model	Unit	JY-250ST		
Screw Barrel Diameter	mm	26	28	30
Injection Pressure	kg/cm2	1530	1278	886
Max. Shot Weight	gram	56	64	74
Max. Shot Weight	cm3/sec	57	66	75.5
Screw Barrel Route	mm	115		
Screw Barrel Rotary Speed	rpm	0-205		
Nozzle Contact Force	tons	4.45		
Nozzle Retraction Nozzle	mm	170		
Number of Temperature Control	pcs	3		
Clamping Force	tons	35		
Platen Size	mm	540*380		
Distance Between Tie Bere	mm	375*205		
Min. Mold Height	mm	158/58		
Opening Stroke	mm	180		
Max. Opening Mold Distance	mm	338/238		
Ejetor Force	tons	1.3		
Ejetor Stoke	mm	35		
Max. Hydraulic Pressure	kg/cm2	140		
Pump Output	L/min	34.5		
Oil Resservoir Capacity	Liter	100		
Cooling Water Consumption	L/hr	400-600		
Pump Motor Power	kw/hp	3.75/5HP		
Barrel Heating Power	kw	2.4		
Total Power	kw	6.3		
Machine Weight	tons	0.92		
Machine Dimension(LxWxH)	meter	1.55*0.93*2.45		
Shipping Weight	tons	1.12		
Shipping Measurements(LxWxH)	meter	1.55*1.14*2.3		



JY-250ST Platen Size Drawing

